




C - PS



C - GGC



C - FSV



C - TMBV




C - FBV



C - CBV



C - MMBV



C - FWBV



C - BFV



C - DOV



C - TOV



C - CPS

MW NEWAY

:C-PGV-2025

MW NEWAY







666

0512-666-21954

Domestic.sales@neway.com.cn

<https://www.neway.com.cn/>

:C-PGV-2025



603699)

1

1

3

1

230,000

1

Anslys Fe-safe CF-design Siemens PLM NX

SAP

ISO API

ISO 9001

, API 6A, API 6D, API 600


CE-PED

AD2000

TA-Luft,

API 624, ISO 15848


API 607, API 6FA




60%。

/ /






1.	3.	5.	7.	9.	11.	13.	15.	17.	19.
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
2.	4.	6.	8.	10.	12.	14.	1 .	18.	1-19
•	•	•	•	•	•	•	•	•	•
•	• /	•	•	•	•	•	•	• /	•
•	•	•	•	•	•	•	•	•	
•	• /	•	•	•	•	•	•	•	
	•	•	•	•	•	•	•	•	



1.	3.	5.	7.	9.	11.	13.	15.	17.	19.	24.	26.
•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•		•	•
•	•	•	•	•	•	•	•	•		•	•
•	•	•	•	•	•	•	•	•		•	•
	•	•	•	•	•	•		•	20.	•	•
	•	•	•	•		•		•	•	•	
2.	4.	6.	8.	10.	12.	14.	16.	18.	21.	25.	27.
•	•	•	•	•	•	•	•	•	•	•	•
•	• /	•	•	•	•	•	•	•		•	•
•	•	•	•	•	•	•	•	•			•
•	•	•	•	•	•	•	•	•			•
•	• /	•	•	•	•	•	•	•	22.		
	•	•	•	•	•	•	•	•	•		
						•		•			
						•		•			
						•		•			
						•		•	23.		1-27
						•		•	•		•



- | | | | |
|-------------------|------------------------|------------------------|-------------------|
| 1.
•
•
• | 3.
•
•
•
• | 5.
•
•
•
• | 7.
•
•
• |
| 2.
•
•
• | 4.
•
•
•
• | 6.
•
•
• | 8.
•
•
• |



- | | | | | |
|------------------------|--------------------------|------------------------|-------------------------|--------------------|
| 1.
•
•
• | 4.高压
•
•
•
• | 7.
•
•
• | 10.
•
•
•
• | 13.
•
•
• |
| 2.
•
•
• | 5.
•
•
•
• | 8.
•
•
•
• | 11.
•
• | 14.
•
•
• |
| 3.
•
•
•
• | 6.
•
•
•
• | 9.
•
•
•
• | 12.
•
•
• | |





2"~30"(DN50~DN750)
CLASS900~CLASS 4500(PN150~PN760)
WCB/WC6/WC9/C12A/CF3M/CF8M/A105/F11/F22/F36/F91/ F92/F304/F304L/F304H/F316/F316L/F316H/F321/F347

-
-
-
-

2"~28"(DN50~DN700)
CLASS 300~CLASS 4500(PN50~PN760)
WCB/WC6/WC9/C12A/CF3M/CF8M/A105/F11/F22/F36/F91/ F92/F304/F304L/F304H/F316/F316L/F316H/F321/F347

- Class 300~600:
- Class 900~4500:
-
-
-
-
-




2"~24"(DN50~DN600)
CLASS 300~CLASS 4500(PN50~PN760)
WCB/WC6/WC9/C12A/CF3M/CF8M/A105/F11/F22/F36/F91/ F92/F304/F304L/F304H/F316/F316L/F316H/F321/F347

- -
 -
 -
 -
 -
 -
 -
- API6D

1/2"~2-1/2"(DN15~DN65)
CLASS 1500~CLASS 4500(PN250~PN760)
A105/F11/F22/F36/F91/F92/F304/F304L/F304H/F316/ F316L/F316H/F321/F347

- T
- CLASS>1700lb
-
-
-





1/2"~24"(DN15~DN600)

CLASS900~CLASS 4500(PN20~PN760)

WCB/WC6/WC9/C12A/CF3M/CF8M/A105/F11/F22/F36/F91/
F92/F304/F304L/F304H/F316/F316L/F316H/F321/F347

- •
•
•
•

WCB / WC6 / WC9 / C12A / CF3M / CF8M

3"~60"(DN80~DN1500)

CLASS 150~CLASS 600(PN20~PN110)

WCB/WC6/WC9/C12A/CF3M/CF8M




- •
•
•
•
•
•

ISO 15848

API 607

3



6"~42"(DN150~DN1050)


CLASS 150~CLASS 2500(PN20~PN420)

WCB/WC6/WC9/C12A/CF3M/CF8M/A105/F11/F22/F36/F91/
F92/F304/F304L/F304H/F316/F316L/F316H/F321/F347

-
-
-
-
-

 $\leq 1s)$,


$<80^{\circ}\text{C}.$





2"~24"(DN50~DN600)
CLASS 900~CLASS 3500(PN150~PN600)
WCB/WC6/WC9/C12A/CF3M/CF8M/A105/F11/F22/F36/F91/ F92/F304/F304L/F304H/F316/F316L/F316H/F321/F347


-
-
-
-
-



-
-

+

+



1/2"~2"(DN15~DN50)
CLASS 150~CLASS 1500(PN20~PN250)
A105/F11/F22/F36/F91/F92/F304/F304L/F304H/F316/ F316L/F316H/F321/F347

-
-
-
-
-
-
-
-

4"~8"(DN100~DN200)
CLASS 150~CLASS 900(PN20~PN150)
WCB/WC6/WC9/C12A/CF3M/CF8M/A105/F11/F22/F36/F91/ F92/F304/F304L/F304H/F316/F316L/F316H/F321/F347


-
-
-
-
-
-
-
-
-






3/4"~4"(DN20~DN100)
CLASS 600~CLASS 2500(PN110~PN420)
WCB/WC6/WC9/C12A/CF3M/CF8M/A105/F11/F22/F36/F91/ F92/F304/F304L/F304H/F316/F316L/F316H/F321/F347

3/4"~16"(DN20~DN400)
CLASS 150~CLASS 2500(PN20~PN420)
WCB/WC6/WC9/C12A/CF3M/CF8M/A105/F11/F22/F36/F91/ F92/F304/F304L/F304H/F316/F316L/F316H/F321/F347



-
-
-
-
-
-
-
-
-
-



2"~8"(DN50~DN200)
CLASS 900~CLASS 2500(PN150~PN420)
WCB/WC6/WC9/C12A/CF3M/CF8M/A105/F11/F22/F36/F91/ F92/F304/F304L/F304H/F316/F316L/F316H/F321/F347

-
-
-
-
-
-
-
-
-
-

1-1/2"~6"(DN45~DN150)
CLASS 300~CLASS 2500(PN50~PN420)
WCB/WC6/WC9/C12A/CF3M/CF8M/A105/F11/F22/F36/F91/ F92/F304/F304L/F304H/F316/F316L/F316H/F321/F347

-
-
-











/

WCB/A105	-29 ~425
F36	-29 ~480
WC6/F11	-29 ~540
WC9/F22	-29 ~570
C12A/F91	-29 ~600
F92	-29 ~620
F304L/F316L	-29 ~425
CF3M/CF8M/F304/F316/F321/F347	-29 ~538
F304H/F316H	-29 ~650

Cv

Cv





PMI、


RT)、

MT)、

UT)、



3D




NHO分析

DR



RT



成立于2014年

2,295



2006
2013

230,000
140,061




2008
2015

112,500
98,000



2008

40, 000
20,000



2017

3,000 /
30,000



2020

30,000
19,000 ()
7,000 ()

：18 12 ()，
；
'
'
'
'